

FEDERAL OPERATING PERMIT

A FEDERAL OPERATING PERMIT IS HEREBY ISSUED TO
The Lubrizol Corporation

AUTHORIZING THE OPERATION OF
Blending Storage and Loading
Industrial Organic Chemicals

LOCATED AT
Harris County, Texas
Latitude 29° 43' 14" Longitude 95° 6' 46"
Regulated Entity Number: RN100221589

This permit is issued in accordance with and subject to the Texas Clean Air Act (TCAA), Chapter 382 of the Texas Health and Safety Code and Title 30 Texas Administrative Code Chapter 122 (30 TAC Chapter 122), Federal Operating Permits. Under 30 TAC Chapter 122, this permit constitutes the permit holder's authority to operate the site and emission units listed in this permit. Operations of the site and emission units listed in this permit are subject to all additional rules or amended rules and orders of the Commission pursuant to the TCAA.

This permit does not relieve the permit holder from the responsibility of obtaining New Source Review authorization for new, modified, or existing facilities in accordance with 30 TAC Chapter 116, Control of Air Pollution by Permits for New Construction or Modification.

The site and emission units authorized by this permit shall be operated in accordance with 30 TAC Chapter 122, the general terms and conditions, special terms and conditions, and attachments contained herein.

This permit shall expire five years from the date of issuance. The renewal requirements specified in 30 TAC § 122.241 must be satisfied in order to renew the authorization to operate the site and emission units.

Permit No: 01581 Issuance Date: _____

For the Commission

Table of Contents

Section	Page
General Terms and Conditions	1
Special Terms and Conditions:	1
Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting	1
New Source Review Authorization Requirements	8
Compliance Requirements	9
Risk Management Plan	10
Protection of Stratospheric Ozone	10
Permit Location	10
Permit Shield (30 TAC § 122.148)	11
Attachments	12
Applicable Requirements Summary	13
Permit Shield	108
New Source Review Authorization References	149
Appendix A	169
Acronym List	170

General Terms and Conditions

The permit holder shall comply with all terms and conditions contained in 30 TAC § 122.143 (General Terms and Conditions), 30 TAC § 122.144 (Recordkeeping Terms and Conditions), 30 TAC § 122.145 (Reporting Terms and Conditions), and 30 TAC § 122.146 (Compliance Certification Terms and Conditions).

In accordance with 30 TAC § 122.144(1), records of required monitoring data and support information required by this permit, or any applicable requirement codified in this permit, are required to be maintained for a period of five years from the date of the monitoring report, sample, or application unless a longer data retention period is specified in an applicable requirement. The five year record retention period supersedes any less stringent retention requirement that may be specified in a condition of a permit identified in the New Source Review Authorization attachment.

If the permit holder chooses to demonstrate that this permit is no longer required, a written request to void this permit shall be submitted to the Texas Commission on Environmental Quality (TCEQ) by the Responsible Official in accordance with 30 TAC § 122.161(e). The permit holder shall comply with the permit's requirements, including compliance certification and deviation reporting, until notified by the TCEQ that this permit is voided.

The permit holder shall comply with 30 TAC Chapter 116 by obtaining a New Source Review authorization prior to new construction or modification of emission units located in the area covered by this permit.

All reports required by this permit must include in the submittal a cover letter which identifies the following information: company name, TCEQ regulated entity number, air account number (if assigned), site name, area name (if applicable), and Air Permits Division permit number(s).

Special Terms and Conditions:

Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting

1. Permit holder shall comply with the following requirements:
 - A. Emission units (including groups and processes) in the Applicable Requirements Summary attachment shall meet the limitations, standards, equipment specifications, monitoring, recordkeeping, reporting, testing, and other requirements listed in the Applicable Requirements Summary attachment to assure compliance with the permit.
 - B. The textual description in the column titled "Textual Description" in the Applicable Requirements Summary attachment is not enforceable and is not deemed as a substitute for the actual regulatory language. The Textual Description is provided for information purposes only.
 - C. A citation listed on the Applicable Requirements Summary attachment, which has a notation [G] listed before it, shall include the referenced section and subsection for all commission rules, or paragraphs for all federal and state regulations and all subordinate paragraphs, subparagraphs and clauses, subclauses, and items contained within the referenced citation as applicable requirements.

- D. When a grouped citation, notated with a [G] in the Applicable Requirements Summary, contains multiple compliance options, the permit holder must keep records of when each compliance option was used.
- E. For the purpose of generating emission reduction credits through 30 TAC Chapter 101, Subchapter H, Division 1 (Emission Credit Banking and Trading), the permit holder shall comply with the following requirements:
 - (i) Title 30 TAC § 101.302 (relating to General Provisions)
 - (ii) Title 30 TAC § 101.303 (relating to Emission Reduction Credit Generation Certification)
 - (iii) Title 30 TAC § 101.304 (relating to Mobile Emission Reduction Credit Generation and Certification)
 - (iv) Title 30 TAC § 101.309 (relating to Emission Credit Banking and Trading)
 - (v) The terms and conditions by which the emission limits are established to generate the reduction credit are applicable requirements of this permit
- F. For the purpose of generating discrete emission reduction credits through 30 TAC Chapter 101, Subchapter H, Division 4 (Discrete Emission Credit Banking and Trading), the permit holder shall comply with the following requirements:
 - (i) Title 30 TAC § 101.372 (relating to General Provisions)
 - (ii) Title 30 TAC § 101.373 (relating to Discrete Emission Reduction Credit Generation and Certification)
 - (iii) Title 30 TAC § 101.374 (relating to Mobile Discrete Emission Reduction Credit Generation and Certification)
 - (iv) Title 30 TAC § 101.378 (relating to Discrete Emission Credit Banking and Trading)
 - (v) The terms and conditions by which the emission limits are established to generate the discrete reduction credit are applicable requirements of this permit
- G. The permit holder shall comply with the following 30 TAC Chapter 101, Subchapter H, Division 6 (Highly Reactive Volatile Organic Compound Emissions Cap and Trade Program) requirements:
 - (i) Title 30 TAC § 101.393 (relating to General Provisions)
 - (ii) Title 30 TAC § 101.394 (relating to Allocation of Allowances)
 - (iii) Title 30 TAC § 101.396 (relating to Allowance Deductions)
 - (iv) Title 30 TAC § 101.399 (relating to Allowance Banking and Trading)
 - (v) Title 30 TAC § 101.400 (relating to Reporting)

- (vi) The terms and conditions by which the emission limits are established to meet or exceed the cap are applicable requirements of this permit
- 2. The permit holder shall comply with the following sections of 30 TAC Chapter 101 (General Air Quality Rules):
 - A. Title 30 TAC § 101.1 (relating to Definitions), insofar as the terms defined in this section are used to define the terms used in other applicable requirements
 - B. Title 30 TAC § 101.3 (relating to Circumvention)
 - C. Title 30 TAC § 101.8 (relating to Sampling), if such action has been requested by the TCEQ
 - D. Title 30 TAC § 101.9 (relating to Sampling Ports), if such action has been requested by the TCEQ
 - E. Title 30 TAC § 101.10 (relating to Emissions Inventory Requirements)
 - F. Title 30 TAC § 101.201 (relating to Emission Event Reporting and Recordkeeping Requirements)
 - G. Title 30 TAC § 101.211 (relating to Scheduled Maintenance, Start-up, and Shutdown Reporting and Recordkeeping Requirements)
 - H. Title 30 TAC § 101.221 (relating to Operational Requirements)
 - I. Title 30 TAC § 101.222 (relating to Demonstrations)
 - J. Title 30 TAC § 101.223 (relating to Actions to Reduce Excessive Emissions)
- 3. Permit holder shall comply with the following requirements of 30 TAC Chapter 111:
 - A. Visible emissions from stationary vents with a flow rate of less than 100,000 actual cubic feet per minute and constructed either before or after January 31, 1972 that are not listed in the Applicable Requirements Summary attachment for 30 TAC Chapter 111, Subchapter A, Division 1 , shall not exceed 20% opacity averaged over a six-minute period. The permit holder shall comply with the following requirements for stationary vents at the site subject to this standard:
 - (i) Title 30 TAC § 111.111(a)(1)(B) (relating to Requirements for Specified Sources)
 - (ii) Title 30 TAC § 111.111(a)(1)(E)
 - (iii) Title 30 TAC § 111.111(a)(1)(F)(i), (ii), (iii), or (iv)
 - (iv) For emission units with vent emissions subject to 30 TAC § 111.111(a)(1)(B), complying with 30 TAC § 111.111(a)(1)(F)(ii), (iii), or (iv), and capable of producing visible emissions from, but not limited to, particulate matter, acid gases and NO_x, the permit holder shall also comply with the following periodic monitoring requirements for the purpose of annual compliance certification under 30 TAC § 122.146. These periodic monitoring requirements do not apply to vents that are

not capable of producing visible emissions such as vents that emit only colorless VOCs; vents from non-fuming liquids; vents that provide passive ventilation, such as plumbing vents; or vent emissions from any other source that does not obstruct the transmission of light. Vents, as specified in the “Applicable Requirements Summary” attachment, that are subject to the emission limitation of 30 TAC § 111.111(a)(1)(B) are not subject to the following periodic monitoring requirements:

- (1) An observation of stationary vents from emission units in operation shall be conducted at least once during each calendar quarter unless the emission unit is not operating for the entire quarter.
- (2) For stationary vents from a combustion source, if an alternative to the normally fired fuel is fired for a period greater than or equal to 24 consecutive hours, the permit holder shall conduct an observation of the stationary vent for each such period to determine if visible emissions are present. If such period is greater than 3 months, observations shall be conducted once during each quarter. Supplementing the normally fired fuel with natural gas or fuel gas to increase the net heating value to the minimum required value does not constitute creation of an alternative fuel.
- (3) Records of all observations shall be maintained.
- (4) Visible emissions observations of emission units operated during daylight hours shall be conducted no earlier than one hour after sunrise and no later than one hour before sunset. Visible emissions observations of emission units operated only at night must be made with additional lighting and the temporary installation of contrasting backgrounds. Visible emissions observations shall be made during times when the activities described in 30 TAC § 111.111(a)(1)(E) are not taking place. Visible emissions shall be determined with each stationary vent in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 mile, away from each stationary vent during the observation. For outdoor locations, the observer shall select a position where the sun is not directly in the observer’s eyes. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor. A certified opacity reader is not required for visible emissions observations.
- (5) Compliance Certification:
 - (a) If visible emissions are not present during the observation, the RO may certify that the source is in compliance with the applicable opacity requirement in 30 TAC § 111.111(a)(1) and (a)(1)(B).

- (b) However, if visible emissions are present during the observation, the permit holder shall either list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2) or conduct the appropriate opacity test specified in 30 TAC § 111.111(a)(1)(F) as soon as practicable, but no later than 24 hours after observing visible emissions to determine if the source is in compliance with the opacity requirements. If an opacity test is performed and the source is determined to be in compliance, the RO may certify that the source is in compliance with the applicable opacity requirement. However, if an opacity test is performed and the source is determined to be out of compliance, the permit holder shall list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2). The opacity test must be performed by a certified opacity reader.
- (c) Some vents may be subject to multiple visible emission or monitoring requirements. All credible data must be considered when certifying compliance with this requirement even if the observation or monitoring was performed to demonstrate compliance with a different requirement.

B. For visible emissions from all other sources not specified in 30 TAC § 111.111(a)(1), (4), or (7); the permit holder shall comply with the following requirements:

- (i) Title 30 TAC § 111.111(a)(8)(A) (relating to Requirements for Specified Sources)
- (ii) Title 30 TAC § 111.111(a)(8)(B)(i) or (ii)
- (iii) For a source subject to 30 TAC § 111.111(a)(8)(A), complying with 30 TAC § 111.111(a)(8)(B)(i) or (ii), and capable of producing visible emissions from, but not limited to, particulate matter, acid gases and NO_x, the permit holder shall also comply with the following periodic monitoring requirements for the purpose of annual compliance certification under 30 TAC § 122.146:
 - (1) An observation of visible emissions from a source which is required to comply with 30 TAC § 111.111(a)(8)(A) shall be conducted at least once during each calendar quarter unless the source is not operating for the entire quarter.
 - (2) Records of all observations shall be maintained.
 - (3) Visible emissions observations of sources operated during daylight hours shall be conducted no earlier than one hour after sunrise and no later than one hour before sunset. Visible emissions observations of sources operated only at night must be made with additional lighting and the temporary installation of contrasting backgrounds. Visible emissions shall be determined

with each source in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 mile, away from each source during the observation. For outdoor locations, the observer shall select a position where the sun is not directly in the observer's eyes. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor. A certified opacity reader is not required for visible emissions observations.

(4) Compliance Certification:

- (a) If visible emissions are not present during the observation, the RO may certify that the source is in compliance with the applicable opacity requirement in 30 TAC § 111.111(a)(8) and (a)(8)(A)
- (b) However, if visible emissions are present during the observation, the permit holder shall either list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2) or conduct the appropriate opacity test specified in 30 TAC § 111.111(a)(8)(B) as soon as practicable, but no later than 24 hours after observing visible emissions to determine if the source is in compliance with the opacity requirements. If an opacity test is performed and the source is determined to be in compliance, the RO may certify that the source is in compliance with the applicable opacity requirement. However, if an opacity test is performed and the source is determined to be out of compliance, the permit holder shall list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2). The opacity test must be performed by a certified opacity reader.

C. Emission limits on nonagricultural processes, except for the steam generators specified in 30 TAC § 111.153, shall comply with the following requirements:

- (i) Emissions of PM from any source may not exceed the allowable rates as required in 30 TAC § 111.151(a) (relating to Allowable Emissions Limits)
- (ii) Sources with an effective stack height (h_e) less than the standard effective stack height (H_e), must reduce the allowable emission level by multiplying it by $[h_e/H_e]^2$ as required in 30 TAC § 111.151(b)
- (iii) Effective stack height shall be calculated by the equation specified in 30 TAC § 111.151(c)

- 4. For storage vessels maintaining working pressure as specified in 30 TAC Chapter 115, Subchapter B, Division 1: Storage of Volatile Organic Compounds, the permit holder shall comply with the requirements of 30 TAC § 115.112(e)(1).

5. The permit holder shall comply with the following requirements of 30 TAC Chapter 115, Subchapter F, Division 3, Degassing of Storage Tanks, Transport Vessels and Marine Vessels:
- A. For degassing of stationary VOC storage tanks, the permit holder shall comply with the following requirements:
- (i) Title 30 TAC § 115.541(a) - (c) (relating to Emission Specifications)
 - (ii) Title 30 TAC § 115.541(f) (relating to Emission Specifications), for floating roof storage tanks
 - (iii) Title 30 TAC § 115.542(a) and (a)(1), (a)(2), (a)(3) or (a)(4) (relating to Control Requirements). Where the requirements of 30 TAC Chapter 115, Subchapter F contain multiple compliance options, the permit holder shall keep records of when each compliance option was used.
 - (iv) Title 30 TAC § 115.542(b) - (d), (relating to Control Requirements)
 - (v) Title 30 TAC § 115.543 (relating to Alternate Control Requirements)
 - (vi) Title 30 TAC § 115.544(a)(1) and (a)(2) (relating to Inspection, Monitoring, and Testing Requirements), for inspections
 - (vii) Title 30 TAC § 115.544(b) (relating to Inspection, Monitoring, and Testing Requirements), for monitoring
 - (viii) Title 30 TAC § 115.544(b)(1) and (b)(2) (relating to Inspection, Monitoring, and Testing Requirements), for monitoring of control devices
 - (ix) Title 30 TAC § 115.544(b)(2)(A) - (J) (relating to Inspection, Monitoring, and Testing Requirements), for monitoring (as appropriate to the control device)
 - (x) Title 30 TAC § 115.544(b)(3), (b)(4) and (b)(6) (relating to Inspection, Monitoring, and Testing Requirements), for VOC concentration or lower explosive limit threshold monitoring
 - (xi) Title 30 TAC § 115.544(c), and (c)(1) - (c)(3) (relating to Inspection, Monitoring, and Testing Requirements), for testing of control devices used to comply with 30 TAC § 115.542(a)(1)
 - (xii) Title 30 TAC § 115.545(1) - (7), (9) - (11) and (13) (relating to Approved Test Methods)
 - (xiii) Title 30 TAC § 115.546(a), (a)(1) and (a)(3) (relating to Recordkeeping and Notification Requirements), for recordkeeping
 - (xiv) Title 30 TAC § 115.546(a)(2) and (a)(2)(A) - (J) (relating to Recordkeeping and Notification Requirements), for recordkeeping (as appropriate to the control device)

- (xv) Title 30 TAC § 115.546(a)(4) (relating to Recordkeeping and Notification Requirements), for recordkeeping of testing of control devices used to comply with 30 TAC § 115.542(a)(1)
- (xvi) Title 30 TAC § 115.546(b) (relating to Recordkeeping and Notification Requirements), for notification
- (xvii) Title 30 TAC § 115.547(4) (relating to Exemptions)

New Source Review Authorization Requirements

- 6. Permit holder shall comply with the requirements of New Source Review authorizations issued or claimed by the permit holder for the permitted area, including permits, permits by rule, standard permits, flexible permits, special permits, permits for existing facilities including Voluntary Emissions Reduction Permits and Electric Generating Facility Permits issued under 30 TAC Chapter 116, Subchapter I, or special exemptions referenced in the New Source Review Authorization References attachment. These requirements:
 - A. Are incorporated by reference into this permit as applicable requirements
 - B. Shall be located with this operating permit
 - C. Are not eligible for a permit shield
- 7. The permit holder shall comply with the general requirements of 30 TAC Chapter 106, Subchapter A or the general requirements, if any, in effect at the time of the claim of any PBR.
- 8. The permit holder shall maintain records to demonstrate compliance with any emission limitation or standard that is specified in a permit by rule (PBR) or Standard Permit listed in the New Source Review Authorizations attachment. The records shall yield reliable data from the relevant time period that are representative of the emission unit's compliance with the PBR or Standard Permit. These records may include, but are not limited to, production capacity and throughput, hours of operation, safety data sheets (SDS), chemical composition of raw materials, speciation of air contaminant data, engineering calculations, maintenance records, fugitive data, performance tests, capture/control device efficiencies, direct pollutant monitoring (CEMS, COMS, or PEMS), or control device parametric monitoring. These records shall be made readily accessible and available as required by 30 TAC § 122.144. Any monitoring or recordkeeping data indicating noncompliance with the PBR or Standard Permit shall be considered and reported as a deviation according to 30 TAC § 122.145 (Reporting Terms and Conditions).
- 9. The permit holder shall comply with the following requirements for Air Quality Standard Permits:
 - A. Registration requirements listed in 30 TAC § 116.611, unless otherwise provided for in an Air Quality Standard Permit
 - B. General Conditions listed in 30 TAC § 116.615, unless otherwise provided for in an Air Quality Standard Permit

C. Requirements of the non-rule Air Quality Standard Permit for Pollution Control Projects

Compliance Requirements

10. The permit holder shall certify compliance in accordance with 30 TAC § 122.146. The permit holder shall comply with 30 TAC § 122.146 using at a minimum, but not limited to, the continuous or intermittent compliance method data from monitoring, recordkeeping, reporting, or testing required by the permit and any other credible evidence or information. The certification period may not exceed 12 months and the certification must be submitted within 30 days after the end of the period being certified.
11. Use of Emission Credits to comply with applicable requirements:
 - A. Unless otherwise prohibited, the permit holder may use emission credits to comply with the following applicable requirements listed elsewhere in this permit:
 - (i) Title 30 TAC Chapter 115
 - (ii) Title 30 TAC Chapter 117
 - (iii) Offsets for Title 30 TAC Chapter 116
 - B. The permit holder shall comply with the following requirements in order to use the emission credits to comply with the applicable requirements:
 - (i) The permit holder must notify the TCEQ according to 30 TAC § 101.306(c)-(d)
 - (ii) The emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 1
 - (iii) The executive director has approved the use of the credit according to 30 TAC § 101.306(c)-(d)
 - (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.302(g) and 30 TAC Chapter 122
 - (v) Title 30 TAC § 101.305 (relating to Emission Reductions Achieved Outside the United States)
12. Use of Discrete Emission Credits to comply with the applicable requirements:
 - A. Unless otherwise prohibited, the permit holder may use discrete emission credits to comply with the following applicable requirements listed elsewhere in this permit:
 - (i) Title 30 TAC Chapter 115
 - (ii) Title 30 TAC Chapter 117

- (iii) If applicable, offsets for Title 30 TAC Chapter 116
 - (iv) Temporarily exceed state NSR permit allowables
- B. The permit holder shall comply with the following requirements in order to use the credit to comply with the applicable requirements:
 - (i) The permit holder must notify the TCEQ according to 30 TAC § 101.376(d)
 - (ii) The discrete emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 4
 - (iii) The executive director has approved the use of the discrete emission credits according to 30 TAC § 101.376(d)(1)(A)
 - (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.372(h) and 30 TAC Chapter 122
 - (v) Title 30 TAC § 101.375 (relating to Emission Reductions Achieved Outside the United States)

Risk Management Plan

- 13. For processes subject to 40 CFR Part 68 and specified in 40 CFR § 68.10, the permit holder shall comply with the requirements of the Accidental Release Prevention Provisions in 40 CFR Part 68. The permit holder shall submit to the appropriate agency either a compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR § 68.10(a), or as part of the compliance certification submitted under this permit, a certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of a risk management plan.

Protection of Stratospheric Ozone

- 14. Permit holders at a site subject to Title VI of the FCAA Amendments shall meet the following requirements for protection of stratospheric ozone:
 - A. Any on site servicing, maintenance, and repair on refrigeration and nonmotor vehicle air-conditioning appliances using ozone-depleting refrigerants or non-exempt substitutes shall be conducted in accordance with 40 CFR Part 82, Subpart F. Permit holders shall ensure that repairs on or refrigerant removal from refrigeration and nonmotor vehicle air-conditioning appliances using ozone-depleting refrigerants are performed only by properly certified technicians using certified equipment. Records shall be maintained as required by 40 CFR Part 82, Subpart F.

Permit Location

- 15. The permit holder shall maintain a copy of this permit and records related to requirements listed in this permit on site.

Permit Shield (30 TAC § 122.148)

16. A permit shield is granted for the emission units, groups, or processes specified in the attached "Permit Shield." Compliance with the conditions of the permit shall be deemed compliance with the specified potentially applicable requirements or specified potentially applicable state-only requirements listed in the attachment "Permit Shield." Permit shield provisions shall not be modified by the executive director until notification is provided to the permit holder. No later than 90 days after notification of a change in a determination made by the executive director, the permit holder shall apply for the appropriate permit revision to reflect the new determination. Provisional terms are not eligible for this permit shield. Any term or condition, under a permit shield, shall not be protected by the permit shield if it is replaced by a provisional term or condition or the basis of the term and condition changes.

Attachments

Applicable Requirements Summary

Permit Shield

New Source Review Authorization References

Applicable Requirements Summary

Unit Summary 14

Applicable Requirements Summary 34

Note: A “none” entry may be noted for some emission sources in this permit’s “Applicable Requirements Summary” under the heading of “Monitoring and Testing Requirements” and/or “Recordkeeping Requirements” and/or “Reporting Requirements.” Such a notation indicates that there are no requirements for the indicated emission source as identified under the respective column heading(s) for the stated portion of the regulation when the emission source is operating under the conditions of the specified SOP Index Number. However, other relevant requirements pursuant to 30 TAC Chapter 122 including Recordkeeping Terms and Conditions (30 TAC § 122.144), Reporting Terms and Conditions (30 TAC § 122.145), and Compliance Certification Terms and Conditions (30 TAC § 122.146) continue to apply.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
AA-800	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
AG-1	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
AG-13	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
AG-14	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
AG-15	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
AG-2	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
AG-4	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
AG-6	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
AG-7	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
AG-8	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
AG-9	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
AM-1	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
AM-12	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
AM-13	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
AM-14	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
AM-2	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
AM-3	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
AM-4	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
ARM-1	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
B-6	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
B-9	Emission Points/Stationary	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
	Vents/Process Vents				
BD-1	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
BL-1	Emission Points/Stationary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
BL-10	Emission Points/Stationary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
BL-12	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
BL-13	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
BL-17	Emission Points/Stationary Vents/Process Vents	N/A	R5121-0002	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
BL-18	Emission Points/Stationary Vents/Process Vents	N/A	R5121-0002	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
BL-2	Emission Points/Stationary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
BL-23	Emission Points/Stationary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
BL-24	Emission Points/Stationary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
BL-25	Emission Points/Stationary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
BL-26	Emission Points/Stationary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
BL-27	Emission Points/Stationary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
BL-28	Emission Points/Stationary	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
	Vents/Process Vents				
BL-29	Emission Points/Stationsary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
BL-3	Emission Points/Stationsary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
BL-30	Emission Points/Stationsary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
BL-31	Emission Points/Stationsary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
BL-32	Emission Points/Stationsary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
BL-33	Emission Points/Stationsary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
BL-34	Emission Points/Stationsary Vents/Process Vents	N/A	R5121-0002	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
BL-36	Emission Points/Stationsary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
BL-6	Emission Points/Stationsary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
BL-7	Emission Points/Stationsary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
BL-8	Emission Points/Stationsary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
BL-9	Emission Points/Stationsary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
CC-500	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
CC-501	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
CC-502	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
CC-506	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
CC-507	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
CC-512	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
CC-513	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
CC-800	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
CR-1	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
CR-2	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-1	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-10	Storage Tanks/Vessels	N/A	R5112-0007	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-100	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-101	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-102	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-103	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-104	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-11	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-110	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-111	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-112	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
D-113	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-114	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-115	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-116	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-117	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-118	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-119	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-12	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-120	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-121	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-122	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-123	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-124	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-125	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-126	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-127	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-128	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-129	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-13	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-130	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-131	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
D-132	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-133	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-137	Emission Points/Stationary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-14	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-15	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-16	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-17	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-18	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-19	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-2	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-20	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-21	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-23	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-24	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-25	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-26	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-27	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-29	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-3	Storage Tanks/Vessels	N/A	R5112-0007	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-30	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
D-31	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-32	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-33	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-4	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-5	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-6	Storage Tanks/Vessels	N/A	R5112-0007	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-60	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-61	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-62	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-63	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-64	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-65	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-67	Emission Points/Stationary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-68	Emission Points/Stationary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-69	Emission Points/Stationary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-7	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-70	Emission Points/Stationary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
D-71	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
D-72	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-73	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-74	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-75	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-76	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-78	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-79	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-8	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-80	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-81	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-82	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-83	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-84	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-85	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-86	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-87	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-88	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-89	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-9	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-90	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-91	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
D-92	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-93	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-94	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-95	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-96	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-97	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
D-98	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
FO-44	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-1	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-10	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-11	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-12	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-13	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-14	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-15	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-16	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-17	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-18	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-19	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-2	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-21	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
I-22	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-23	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-24	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-25	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-26	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-27	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-28	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-3	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-4	Emission Points/Stationary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
I-5	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-6	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-7	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-8	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
I-9	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
KO-AA800	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
KOD-70	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
LOADA11	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADA12	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADA13	Loading/Unloading	N/A	R5211-0001	30 TAC Chapter 115, Loading and	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
	Operations			Unloading of VOC	
LOADA14	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADA15	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADA16	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADA17	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADA18	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADA19	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADA20	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADA21	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADA23	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADA24	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADA26	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADA27	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
LOADA33	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADA36	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADA38	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADB11	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADB12	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADB13	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADB14	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADB15	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADB16	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADB17	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADB18	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADB19	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADB20	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
LOADB21	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADB23	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADB24	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADB26	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADB27	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADB33	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADB36	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADB38	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADE1	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADE10	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADE11	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADE12	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADE13	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
LOADE15	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADE16	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADE17	Loading/Unloading Operations	N/A	R5211-0005	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADE18	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADE19	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADE2	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADE20	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADE21	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADE23	Loading/Unloading Operations	N/A	R5211-0004	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADE28	Loading/Unloading Operations	N/A	R5211-0004	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADE3	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADE4	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADE5	Loading/Unloading Operations	N/A	R5211-0005	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
LOADE6	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADE7	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADE8	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADE9	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADTT-01	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADTT-02	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADTT-03	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADTT-04	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADTT-05	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADTT-06	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADTT-07	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADTT-08	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADTT-09	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
LOADTT-10	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADTT-12	Loading/Unloading Operations	N/A	R5211-0005	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADTTACID	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADTTBOVR	Loading/Unloading Operations	N/A	R5211-0002	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADTTSHTD	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADTTWOVR	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADW1	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADW10	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADW11	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADW12	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADW13	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADW15	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADW16	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
LOADW17	Loading/Unloading Operations	N/A	R5211-0005	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADW18	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADW19	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADW2	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADW20	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADW21	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADW28	Loading/Unloading Operations	N/A	R5211-0004	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADW3	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADW4	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADW5	Loading/Unloading Operations	N/A	R5211-0005	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADW6	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADW7	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADW8	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
LOADW9	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
M-48	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
NBLNDDRUM	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
OS-10	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
OS-11	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
OS-20	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
P-36A	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
R-5	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
RA-4	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
RA-5	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
RA-6	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
RA-8	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
RA-9	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SA-1	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SA-2	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SA-3	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SA-4	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SA-5	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SA-6	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
SA-7	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SAB-1	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SBD-PV1	Emission Points/Stationary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
SBD-PV2	Emission Points/Stationary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
SBD-PV3	Emission Points/Stationary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
SBLNDDRUM	Loading/Unloading Operations	N/A	R5211-0001	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
SS-1	Emission Points/Stationary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
SS-10	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SS-11	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SS-12	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SS-13	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SS-16	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SS-2	Emission Points/Stationary Vents/Process Vents	N/A	R5121-0001	30 TAC Chapter 115, Vent Gas Controls	No changing attributes.
SS-20	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SS-22	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SS-23	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SS-24	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
SS-25	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SS-29	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SS-3	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SS-35	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SS-36	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SS-4	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SS-5	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SS-6	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SS-7	Storage Tanks/Vessels	N/A	R5112-0003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SS-8	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SS-9	Storage Tanks/Vessels	N/A	R5112-0004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
SSB-1	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
WO-AA800	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
WO-CC800	Storage Tanks/Vessels	N/A	R5112-0002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
AA-800	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
AG-1	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
AG-13	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
AG-14	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
AG-15	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
AG-2	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
AG-4	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
AG-6	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
AG-7	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
AG-8	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
AG-9	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
AM-1	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
AM-12	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
AM-13	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
AM-14	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
AM-2	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
AM-3	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
AM-4	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
ARM-1	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
B-6	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
B-9	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
BD-1	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
BL-1	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
BL-10	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
BL-12	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
BL-13	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
BL-17	EU	R5121-0002	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(A)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126(1) § 115.126(1)(A) § 115.126(1)(A)(i) § 115.126(2)	§ 115.126 § 115.126(1) § 115.126(1)(A) § 115.126(1)(A)(i) § 115.126(2)	None
BL-18	EP	R5121-0002	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(A)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126(1) § 115.126(1)(A) § 115.126(1)(A)(i) § 115.126(2)	§ 115.126 § 115.126(1) § 115.126(1)(A) § 115.126(1)(A)(i) § 115.126(2)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
BL-2	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
BL-23	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
BL-24	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
BL-25	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
BL-26	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
BL-27	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
BL-28	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
BL-29	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
BL-3	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
BL-30	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
BL-31	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
BL-32	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
BL-33	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
BL-34	EP	R5121-0002	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.122(a)(1) § 115.121(a)(1) § 115.122(a)(1)(A)	Vent gas streams affected by §115.121(a)(1) must be controlled properly with a control efficiency of at least 90% or to a volatile organic compound (VOC) concentration of no more than 20 parts per million (ppmv) (on a dry basis corrected to 3.0% oxygen for combustion devices).	[G]§ 115.125 § 115.126(1) § 115.126(1)(A) § 115.126(1)(A)(i) § 115.126(2)	§ 115.126 § 115.126(1) § 115.126(1)(A) § 115.126(1)(A)(i) § 115.126(2)	None
BL-36	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
BL-6	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						requirements of § 115.121(a)(1).			
BL-7	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
BL-8	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
BL-9	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
CC-500	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						division.			
CC-501	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
CC-502	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
CC-506	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
CC-507	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
CC-512	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						the requirements of this division.			
CC-513	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
CC-800	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
CR-1	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
CR-2	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
D-1	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						1.5 psia is exempt from the requirements of this division.			
D-10	EU	R5112-0007	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-100	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-101	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
D-102	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
D-103	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						vapor pressure less than 1.5 psia is exempt from the requirements of this division.			
D-104	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-11	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-110	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
D-111	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
D-112	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
				VOCs		storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.		§ 115.118(a)(7)	
D-113	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
D-114	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
D-115	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
D-116	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
D-117	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-118	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-119	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-12	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-120	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
D-121	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-122	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-123	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-124	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-125	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
D-126	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-127	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-128	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-129	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-13	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
D-130	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-131	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-132	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-133	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-137	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) equal to or less than 100 pounds in any continuous 24-hour period is exempt from	[G]§ 115.125 § 115.126(2) § 115.126(3)(B)	§ 115.126 § 115.126(2) § 115.126(3) § 115.126(3)(B)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						§115.121(a)(1) of this title.			
D-14	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-15	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-16	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-17	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-18	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						the requirements of this division.			
D-19	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-2	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-20	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-21	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-23	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						1.5 psia is exempt from the requirements of this division.			
D-24	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-25	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-26	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-27	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-29	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						vapor pressure less than 1.5 psia is exempt from the requirements of this division.		§ 115.118(a)(7)	
D-3	EU	R5112-0007	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-30	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-31	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-32	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-33	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
				VOCs		storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.		§ 115.118(a)(6)(A) § 115.118(a)(7)	
D-4	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-5	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-6	EU	R5112-0007	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-60	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-61	EU	R5112-	VOC	30 TAC Chapter	§ 115.111(a)(1)	Except as provided in §	[G]§ 115.117	§ 115.118(a)(1)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
		0004		115, Storage of VOCs		115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.		§ 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	
D-62	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-63	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-64	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-65	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
D-67	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
D-68	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
D-69	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
D-7	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-70	EP	R5121-	VOC	30 TAC Chapter	§ 115.127(a)(2)(A)	A vent gas stream having a	[G]§ 115.125	§ 115.126	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
		0001		115, Vent Gas Controls	[G]§ 115.122(a)(4) § 115.127(a)(2)	combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	§ 115.126(2)	§ 115.126(2) § 115.126(4)	
D-71	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-72	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-73	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-74	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						division.			
D-75	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-76	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-78	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-79	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-8	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						the requirements of this division.			
D-80	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-81	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-82	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-83	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-84	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						1.5 psia is exempt from the requirements of this division.			
D-85	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-86	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-87	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-88	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-89	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						vapor pressure less than 1.5 psia is exempt from the requirements of this division.		§ 115.118(a)(7)	
D-9	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-90	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-91	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-92	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-93	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
				VOCs		storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.		§ 115.118(a)(6)(A) § 115.118(a)(7)	
D-94	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-95	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-96	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
D-97	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
D-98	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
FO-44	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
I-1	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
I-10	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
I-11	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
I-12	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
I-13	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
I-14	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
I-15	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
I-16	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
I-17	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
I-18	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
I-19	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
I-2	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
I-21	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
I-22	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
I-23	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
I-24	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
I-25	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
I-26	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
I-27	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
I-28	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
I-3	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
I-4	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
I-5	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						the requirements of this division.			
I-6	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
I-7	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
I-8	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
I-9	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
KO-AA800	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						1.5 psia is exempt from the requirements of this division.			
KOD-70	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
LOADA11	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADA12	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADA13	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						this division, except as specified.			
LOADA14	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADA15	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADA16	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADA17	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						from the requirements of this division, except as specified.			
LOADA18	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADA19	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADA20	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADA21	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						than 0.5 psia is exempt from the requirements of this division, except as specified.			
LOADA23	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADA24	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADA26	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADA27	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B)	Vapor pressure (at land-based operations). All land-based loading and	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215	§ 115.216 § 115.216(2) § 115.216(3)(B)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.215(4)		
LOADA33	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADA36	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADA38	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADB11	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and	§ 115.217(a)(1) § 115.212(a)(2)	Vapor pressure (at land-based operations). All	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i)	§ 115.216 § 115.216(2)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
				Unloading of VOC	§ 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.215 § 115.215(4)	§ 115.216(3)(B)	
LOADB12	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADB13	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADB14	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADB15	EU	R5211-	VOC	30 TAC Chapter	§ 115.217(a)(1)	Vapor pressure (at land-	§ 115.214(a)(1)(A)	§ 115.216	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
		0001		115, Loading and Unloading of VOC	§ 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216(2) § 115.216(3)(B)	
LOADB16	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADB17	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADB18	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
LOADB19	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADB20	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADB21	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADB23	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
LOADB24	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADB26	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADB27	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADB33	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
LOADB36	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADB38	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADE1	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADE10	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
LOADE11	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADE12	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADE13	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADE15	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
LOADE16	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADE17	EU	R5211-0005	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.212(a)(1) § 115.212(a)(1)(B) § 115.212(a)(2) § 115.212(a)(3)(A) § 115.212(a)(3)(A)(i) § 115.212(a)(3)(B) [G]§ 115.212(a)(3)(C) § 115.212(a)(3)(D) § 115.212(a)(3)(E) § 115.214(a)(1)(B) § 115.214(a)(1)(C)	At operations other than gasoline terminals, gasoline bulk plants, and marine terminals, vapors from loading VOC with a true vapor pressure of 0.5 psia or greater must be controlled by one of the methods specified in § 115.212(a)(1)(A)-(C).	§ 115.212(a)(3)(B) § 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.214(a)(1)(A)(ii) § 115.214(a)(1)(A)(iii) § 115.215 § 115.215(1) § 115.215(10) [G]§ 115.215(2) § 115.215(4) § 115.215(9)	§ 115.216 § 115.216(2) § 115.216(3)(A) § 115.216(3)(A)(i) § 115.216(3)(A)(ii) § 115.216(3)(A)(iii) § 115.216(3)(B)	None
LOADE18	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADE19	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						this division, except as specified.			
LOADE2	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADE20	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADE21	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADE23	EU	R5211-0004	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.212(a)(3) § 115.212(a)(2) § 115.212(a)(3)(A) § 115.212(a)(3)(A)(i) § 115.212(a)(3)(B) [G]§ 115.212(a)(3)(C)	All land-based VOC transfer to or from transport vessels shall be conducted in the manner specified for leak-free operations.	§ 115.212(a)(3)(B) § 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.214(a)(1)(A)(ii) § 115.214(a)(1)(A)(iii)	§ 115.216 § 115.216(3)(A) § 115.216(3)(A)(i) § 115.216(3)(A)(iii)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 115.212(a)(3)(D) § 115.214(a)(1)(B) § 115.214(a)(1)(C)				
LOADE28	EU	R5211-0004	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.212(a)(3) § 115.212(a)(2) § 115.212(a)(3)(A) § 115.212(a)(3)(A)(i) § 115.212(a)(3)(B) [G]§ 115.212(a)(3)(C) § 115.212(a)(3)(D) § 115.214(a)(1)(B) § 115.214(a)(1)(C)	All land-based VOC transfer to or from transport vessels shall be conducted in the manner specified for leak-free operations.	§ 115.212(a)(3)(B) § 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.214(a)(1)(A)(ii) § 115.214(a)(1)(A)(iii)	§ 115.216 § 115.216(3)(A) § 115.216(3)(A)(i) § 115.216(3)(A)(iii)	None
LOADE3	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADE4	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADE5	EU	R5211-0005	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.212(a)(1) § 115.212(a)(1)(B) § 115.212(a)(2) § 115.212(a)(3)(A) § 115.212(a)(3)(A)(i)	At operations other than gasoline terminals, gasoline bulk plants, and marine terminals, vapors of VOC with a true vapor	§ 115.212(a)(3)(B) § 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.214(a)(1)(A)(ii) § 115.214(a)(1)(A)(iii)	§ 115.216 § 115.216(2) § 115.216(3)(A) § 115.216(3)(A)(i) § 115.216(3)(A)(ii)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 115.212(a)(3)(B) [G]§ 115.212(a)(3)(C) § 115.212(a)(3)(D) § 115.212(a)(3)(E) § 115.214(a)(1)(B) § 115.214(a)(1)(C)	pressure of 0.5 psia or greater, must be controlled by one of the following methods.	§ 115.215 § 115.215(1) § 115.215(10) [G]§ 115.215(2) § 115.215(4) § 115.215(9)	§ 115.216(3)(A)(iii) § 115.216(3)(B)	
LOADE6	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADE7	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADE8	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADE9	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and	§ 115.217(a)(1) § 115.212(a)(2)	Vapor pressure (at land-based operations). All	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i)	§ 115.216 § 115.216(2)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
				Unloading of VOC	§ 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.215 § 115.215(4)	§ 115.216(3)(B)	
LOADTT-01	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADTT-02	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADTT-03	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
LOADTT-04	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADTT-05	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADTT-06	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADTT-07	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
LOADTT-08	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADTT-09	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADTT-10	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADTT-12	EU	R5211-0005	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.212(a)(1) § 115.212(a)(1)(C) § 115.212(a)(2) § 115.212(a)(3)(A) § 115.212(a)(3)(A)(i) § 115.212(a)(3)(B) [G]§ 115.212(a)(3)(C) § 115.212(a)(3)(D) § 115.212(a)(3)(E)	At operations other than gasoline terminals, gasoline bulk plants, and marine terminals, vapors of VOC with a true vapor pressure of 0.5 psia or greater, must be controlled by one of the following methods.	§ 115.212(a)(3)(B) § 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.214(a)(1)(A)(ii) § 115.214(a)(1)(A)(iii) § 115.215 § 115.215(1) § 115.215(10) [G]§ 115.215(2)	§ 115.216 § 115.216(2) § 115.216(3)(A) § 115.216(3)(A)(i) § 115.216(3)(A)(ii) § 115.216(3)(A)(iii) § 115.216(3)(B)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 115.214(a)(1)(B) § 115.214(a)(1)(C)		§ 115.215(4) § 115.215(9)		
LOADTTAC ID	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADTTBO VR	EU	R5211-0002	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(2)(A) [G]§ 115.212(a)(7) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Any plant, excluding gasoline bulk plants, which loads less than 20,000 gpd of VOC with a true vapor pressure of 0.5 psia or greater is exempt from the requirements of this division, except for the specified requirements.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B) § 115.216(3)(D)	None
LOADTTSH TD	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADTTW OVR	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						from the requirements of this division, except as specified.			
LOADW1	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADW10	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADW11	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADW12	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						than 0.5 psia is exempt from the requirements of this division, except as specified.			
LOADW13	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADW15	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADW16	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADW17	EU	R5211-0005	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.212(a)(1) § 115.212(a)(1)(B) § 115.212(a)(2) § 115.212(a)(3)(A)	At operations other than gasoline terminals, gasoline bulk plants, and marine terminals, vapors	§ 115.212(a)(3)(B) § 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.214(a)(1)(A)(ii)	§ 115.216 § 115.216(2) § 115.216(3)(A) § 115.216(3)(A)(i)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 115.212(a)(3)(A)(i) § 115.212(a)(3)(B) [G]§ 115.212(a)(3)(C) § 115.212(a)(3)(D) § 115.212(a)(3)(E) § 115.214(a)(1)(B) § 115.214(a)(1)(C)	from loading VOC with a true vapor pressure of 0.5 psia or greater must be controlled by one of the methods specified in § 115.212(a)(1)(A)-(C).	§ 115.214(a)(1)(A)(iii) § 115.215 § 115.215(1) § 115.215(10) [G]§ 115.215(2) § 115.215(4) § 115.215(9)	§ 115.216(3)(A)(ii) § 115.216(3)(A)(iii) § 115.216(3)(B)	
LOADW18	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADW19	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADW2	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADW20	EU	R5211-	VOC	30 TAC Chapter	§ 115.217(a)(1)	Vapor pressure (at land-	§ 115.214(a)(1)(A)	§ 115.216	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
		0001		115, Loading and Unloading of VOC	§ 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216(2) § 115.216(3)(B)	
LOADW21	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADW28	EU	R5211-0004	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.212(a)(3) § 115.212(a)(2) § 115.212(a)(3)(A) § 115.212(a)(3)(A)(i) § 115.212(a)(3)(B) [G]§ 115.212(a)(3)(C) § 115.212(a)(3)(D) § 115.214(a)(1)(B) § 115.214(a)(1)(C)	All land-based VOC transfer to or from transport vessels shall be conducted in the manner specified for leak-free operations.	§ 115.212(a)(3)(B) § 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.214(a)(1)(A)(ii) § 115.214(a)(1)(A)(iii)	§ 115.216 § 115.216(3)(A) § 115.216(3)(A)(i) § 115.216(3)(A)(iii)	None
LOADW3	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
LOADW4	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADW5	EU	R5211-0005	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.212(a)(1) § 115.212(a)(1)(B) § 115.212(a)(2) § 115.212(a)(3)(A) § 115.212(a)(3)(A)(i) § 115.212(a)(3)(B) [G]§ 115.212(a)(3)(C) § 115.212(a)(3)(D) § 115.212(a)(3)(E) § 115.214(a)(1)(B) § 115.214(a)(1)(C)	At operations other than gasoline terminals, gasoline bulk plants, and marine terminals, vapors of VOC with a true vapor pressure of 0.5 psia or greater, must be controlled by one of the following methods.	§ 115.212(a)(3)(B) § 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.214(a)(1)(A)(ii) § 115.214(a)(1)(A)(iii) § 115.215 § 115.215(1) § 115.215(10) [G]§ 115.215(2) § 115.215(4) § 115.215(9)	§ 115.216 § 115.216(2) § 115.216(3)(A) § 115.216(3)(A)(i) § 115.216(3)(A)(ii) § 115.216(3)(A)(iii) § 115.216(3)(B)	None
LOADW6	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADW7	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						this division, except as specified.			
LOADW8	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADW9	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
M-48	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
NBLNDDRUM	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						specified.			
OS-10	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
OS-11	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
OS-20	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
P-36A	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
R-5	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						1.5 psia is exempt from the requirements of this division.			
RA-4	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
RA-5	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
RA-6	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
RA-8	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
RA-9	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						vapor pressure less than 1.5 psia is exempt from the requirements of this division.			
SA-1	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SA-2	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SA-3	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SA-4	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SA-5	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
				VOCs		storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.		§ 115.118(a)(6)(A) § 115.118(a)(7)	
SA-6	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SA-7	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SAB-1	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SBD-PV1	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
SBD-PV2	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
SBD-PV3	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
SBLNDDRU M	EU	R5211-0001	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
SS-1	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of §	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						115.121(a)(1).			
SS-10	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SS-11	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SS-12	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SS-13	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SS-16	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						the requirements of this division.			
SS-2	EP	R5121-0001	VOC	30 TAC Chapter 115, Vent Gas Controls	§ 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2)	A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1).	[G]§ 115.125 § 115.126(2)	§ 115.126 § 115.126(2) § 115.126(4)	None
SS-20	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SS-22	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SS-23	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SS-24	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
				VOCs		storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.		§ 115.118(a)(6)(A) § 115.118(a)(7)	
SS-25	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SS-29	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SS-3	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SS-35	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SS-36	EU	R5112-	VOC	30 TAC Chapter	§ 115.111(a)(1)	Except as provided in §	[G]§ 115.117	§ 115.118(a)(1)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
		0004		115, Storage of VOCs		115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.		§ 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	
SS-4	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SS-5	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SS-6	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SS-7	EU	R5112-0003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
SS-8	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SS-9	EU	R5112-0004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
SSB-1	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
WO-AA800	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
WO-CC800	EU	R5112-0002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None

Permit Shield

Permit Shield 109

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
AA-800	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
AG-1	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
AG-13	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
AG-13	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Tank capacity is less than 10,000 gal.
AG-14	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
AG-15	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
AG-15	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
AG-2	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
AG-4	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
AG-6	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			kPa
AG-6	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
AG-7	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
AG-8	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
AG-8	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
AG-9	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
AM-1	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
AM-12	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
AM-13	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
AM-14	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
AM-2	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
AM-3	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
AM-4	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
AR-14	N/A	30 TAC Chapter 115, Storage of VOCs	Storage tank capacity is less than 1,000 gallons
AR-14	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
ARM-1	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
B-6	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
B-9	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
B-9	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BD-1	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
BL-1	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
BL-1	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BL-10	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
BL-10	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BL-12	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
BL-12	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
BL-13	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
BL-13	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
BL-17	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
BL-17	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BL-18	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
BL-18	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BL-2	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
BL-2	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BL-23	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
BL-23	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BL-24	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
BL-24	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BL-25	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
BL-25	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BL-26	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
BL-26	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BL-26	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
BL-27	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
BL-27	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BL-28	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
BL-28	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BL-29	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
BL-29	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BL-3	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
BL-3	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BL-30	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
BL-30	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BL-31	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
BL-31	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BL-32	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
BL-32	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
BL-33	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
BL-33	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BL-34	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
BL-34	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BL-36	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
BL-36	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BL-6	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
BL-6	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BL-7	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
BL-7	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BL-8	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
BL-8	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
BL-9	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
BL-9	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
CC-500	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
CC-501	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
CC-502	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
CC-506	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
CC-507	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
CC-512	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
CC-513	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
CC-800	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
CR-1	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
CR-2	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
D-1	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-10	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-100	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-100	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-101	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
D-102	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
D-103	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
D-104	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
D-104	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-11	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-110	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
D-110	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-111	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
D-112	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
D-113	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
D-114	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
D-115	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
D-116	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-116	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-117	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-117	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-118	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
D-118	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-119	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
D-119	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-12	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-120	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			maximum true vapor pressure less than 15 kPa
D-120	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-121	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
D-121	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-122	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
D-122	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-123	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-123	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-124	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-124	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
D-125	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-125	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-126	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-126	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-127	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-127	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-128	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-128	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-129	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
D-129	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			pressure is less than 6.9 kPa.
D-13	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-130	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
D-130	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-131	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
D-131	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-132	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
D-132	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-133	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
D-133	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
D-137	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel.
D-137	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
D-14	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-15	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-16	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-17	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-18	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-19	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-2	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			kPa
D-20	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-21	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-22	N/A	30 TAC Chapter 115, Storage of VOCs	Storage tank does not contain a volatile organic compound
D-22	N/A	40 CFR Part 60, Subpart Kb	Storage vessel does not contain a volatile organic liquid
D-23	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-24	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-25	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-26	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-27	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			kPa
D-29	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-3	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-30	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-31	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-31	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-32	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-32	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-33	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-4	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-5	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-5	N/A	40 CFR Part 63, Subpart FFFF	Storage tank storing organic liquids that contain HAP only as impurities
D-6	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-60	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-60	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-61	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-62	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-62	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-63	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-64	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-65	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-67	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
D-67	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
D-67	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-68	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
D-68	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
D-68	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-69	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
D-69	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			tank.
D-7	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-70	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
D-70	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
D-70	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-71	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-72	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-72	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-73	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-73	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
D-74	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-74	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-75	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-75	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-76	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-76	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-78	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-78	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-79	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-8	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-80	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-81	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-82	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-82	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-83	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-84	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-84	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-85	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
D-85	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-86	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-86	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-87	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-88	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-88	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-89	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-9	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-90	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
D-91	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-92	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-93	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-93	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
D-94	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-95	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-96	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-97	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-98	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			storing a VOL with a maximum true vapor pressure less than 3.5 kPa
D-99	N/A	30 TAC Chapter 115, Storage of VOCs	Storage tank does not contain a volatile organic compound
D-99	N/A	40 CFR Part 60, Subpart Kb	Storage vessel does not contain a volatile organic liquid
D-99	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
FO-44	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
HPO-85	N/A	30 TAC Chapter 115, Storage of VOCs	Storage tank does not contain a volatile organic compound
HPO-85	N/A	40 CFR Part 60, Subpart Kb	Storage vessel does not contain a volatile organic liquid.
I-1	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
I-10	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
I-11	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
I-12	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
I-13	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
I-14	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
I-15	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
I-15	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
I-16	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
I-17	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
I-18	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
I-19	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
I-2	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
I-21	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
I-22	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
I-23	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
I-24	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
I-25	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
I-25	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
I-26	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
I-26	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
I-27	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
I-28	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
I-28	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
I-3	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
I-4	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
I-4	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
I-5	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
I-6	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
I-7	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
I-8	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
I-9	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
KO-AA800	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
KOD-70	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
LOADA14	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			liquids transferred is less than 1.5 psia.
LOADA15	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADA16	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADA17	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADA18	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADA19	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADA20	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADA21	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADA23	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADA24	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADA33	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADB14	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			liquids transferred is less than 1.5 psia.
LOADB15	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADB16	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADB17	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADB18	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADB19	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADB20	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADB21	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADB23	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADB24	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADE10	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADE11	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			liquids transferred is less than 1.5 psia.
LOADE12	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADE13	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADE16	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Transfer rack loads less than 0.65 million liters/year of liquids that contain organic HAP.
LOADE18	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADE19	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADE3	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADE4	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADE5	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADE6	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADE7	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADE8	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			liquids transferred is less than 1.5 psia.
LOADE9	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADTT-01	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Transfer rack loads less than 0.65 million liters/year of liquids that contain organic HAP.
LOADTT-02	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Transfer rack loads less than 0.65 million liters/year of liquids that contain organic HAP.
LOADTT-03	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Transfer rack loads less than 0.65 million liters/year of liquids that contain organic HAP.
LOADTT-04	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Transfer rack loads less than 0.65 million liters/year of liquids that contain organic HAP.
LOADTT-05	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADTT-06	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADTT-07	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADTT-08	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADTT-09	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADTTSHTD	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			liquids transferred is less than 1.5 psia.
LOADTTWOVR	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADW10	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADW11	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADW12	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADW13	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADW16	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Transfer rack loads less than 0.65 million liters/year of liquids that contain organic HAP.
LOADW18	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Transfer rack loads less than 0.65 million liters/year of liquids that contain organic HAP.
LOADW19	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADW3	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADW4	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADW5	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			liquids transferred is less than 1.5 psia.
LOADW6	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADW7	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADW8	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
LOADW9	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 transfer rack. Rack weighted partial pressure of liquids transferred is less than 1.5 psia.
M-48	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
OS-10	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
OS-11	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
OS-20	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
OS-20	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
P-36A	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
P-36A	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
PRO-1	N/A	40 CFR Part 60, Subpart Kb	40 CFR Part 60, Subpart Kb does not apply to pressure vessels designed to operate in excess of 204.9 kPa without emissions to the atmosphere
PRO-1	N/A	40 CFR Part 63, Subpart FFFF	Pressure vessels designed to operate in excess of 204.9 kPa and without emissions to the atmosphere do not meet the definition of a storage tank and are not included as part of the MCPU.
R-5	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
R-5	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Tank capacity is less than 10,000 gal.
RA-4	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
RA-5	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
RA-5	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
RA-6	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
RA-8	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
RA-9	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
SA-1	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			kPa
SA-2	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
SA-3	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
SA-4	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
SA-5	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
SA-5	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
SA-6	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
SA-7	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
SA-7	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
SAB-1	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
SAB-2	N/A	30 TAC Chapter 115, Storage of VOCs	Storage tank does not contain a volatile organic compound
SAB-2	N/A	40 CFR Part 60, Subpart Kb	Storage tank does not contain a volatile organic liquid
SBD-PV1	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
SBD-PV1	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
SBD-PV2	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
SBD-PV2	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
SBD-PV3	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
SBD-PV3	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
SS-1	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
SS-1	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
SS-10	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			storing a VOL with a maximum true vapor pressure less than 3.5 kPa
SS-11	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
SS-12	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
SS-12	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
SS-13	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
SS-16	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
SS-2	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is a process tank, which does not meet the definition of a storage vessel
SS-2	N/A	40 CFR Part 60, Subpart Kb	Vessel is not a storage tank as defined in § 60.111b, it is a process tank.
SS-20	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
SS-22	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			storing a VOL with a maximum true vapor pressure less than 3.5 kPa
SS-23	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
SS-24	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
SS-24	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
SS-25	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
SS-29	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
SS-3	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
SS-35	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
SS-36	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			kPa
SS-4	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
SS-5	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
SS-5	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
SS-6	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
SS-7	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than or equal to 75 cubic meters and less than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 15 kPa
SS-8	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
SS-8	N/A	40 CFR Part 63, Subpart FFFF	Not a Group 1 storage tank. Total HAP maximum true vapor pressure is less than 6.9 kPa.
SS-9	N/A	40 CFR Part 60, Subpart Kb	Storage vessel having a capacity greater than 151 cubic meters and storing a VOL with a maximum true vapor pressure less than 3.5 kPa
SSB-1	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
WO-AA800	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters
WO-CC800	N/A	40 CFR Part 60, Subpart Kb	Storage vessel capacity is less than 75 cubic meters

New Source Review Authorization References

New Source Review Authorization References.....	150
New Source Review Authorization References by Emission Unit	151

New Source Review Authorization References

The New Source Review authorizations listed in the table below are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Title 30 TAC Chapter 116 Permits, Special Permits, and Other Authorizations (Other Than Permits By Rule, PSD Permits, or NA Permits) for the Application Area.	
Authorization No.: 122494	Issuance Date: 10/01/2014
Authorization No.: 131877	Issuance Date: 05/26/2015
Authorization No.: 669	Issuance Date: 04/24/2017
Permits By Rule (30 TAC Chapter 106) for the Application Area	
Number: 106.261	Version No./Date: 11/01/2003
Number: 106.262	Version No./Date: 11/01/2003
Number: 106.263	Version No./Date: 11/01/2001
Number: 106.472	Version No./Date: 09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
AA-800	STORAGE TANK	106.472/09/04/2000
AG-13	STORAGE TANK	106.472/09/04/2000
AG-14	STORAGE TANK	106.472/09/04/2000
AG-15	STORAGE TANK	106.472/09/04/2000
AG-1	STORAGE TANK	106.472/09/04/2000
AG-2	STORAGE TANK	106.472/09/04/2000
AG-4	STORAGE TANK	106.472/09/04/2000
AG-6	STORAGE TANK	106.472/09/04/2000
AG-7	STORAGE TANK	106.472/09/04/2000
AG-8	STORAGE TANK	106.472/09/04/2000
AG-9	STORAGE TANK	106.472/09/04/2000
AM-12	STORAGE TANK	106.472/09/04/2000
AM-13	STORAGE TANK	106.472/09/04/2000
AM-14	STORAGE TANK	106.472/09/04/2000
AM-1	STORAGE TANK	106.472/09/04/2000
AM-2	STORAGE TANK	106.472/09/04/2000
AM-3	STORAGE TANK	106.472/09/04/2000
AM-4	STORAGE TANK	106.472/09/04/2000
AR-14	STORAGE TANK	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
ARM-1	STORAGE TANK	106.472/09/04/2000
B-6	STORAGE TANK	106.472/09/04/2000
B-9	BLEND VESSEL	669
BD-1	STORAGE TANK	669
BL-10	BLEND VESSEL	669
BL-12	STORAGE TANK	669
BL-13	STORAGE TANK	669
BL-17	BLEND VESSEL	669
BL-18	BLEND VESSEL	669
BL-1	BLEND VESSEL	669
BL-23	BLEND VESSEL	669
BL-24	BLEND VESSEL	669
BL-25	BLEND VESSEL	669
BL-26	BLEND VESSEL	669
BL-27	BLEND VESSEL	669
BL-28	BLEND VESSEL	669
BL-29	BLEND VESSEL	669
BL-2	BLEND VESSEL	669
BL-30	BLEND VESSEL	669

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
BL-31	BLEND VESSEL	669
BL-32	BLEND VESSEL	669
BL-33	BLEND VESSEL	669
BL-34	BLEND VESSEL	669
BL-36	BLEND VESSEL	669
BL-3	BLEND VESSEL	669
BL-6	BLEND VESSEL	669
BL-7	BLEND VESSEL	669
BL-8	BLEND VESSEL	669
BL-9	BLEND VESSEL	669
CC-500	STORAGE TANK	106.472/09/04/2000
CC-501	STORAGE TANK	106.472/09/04/2000
CC-502	STORAGE TANK	106.472/09/04/2000
CC-506	STORAGE TANK	106.472/09/04/2000
CC-507	STORAGE TANK	106.472/09/04/2000
CC-512	STORAGE TANK	106.472/09/04/2000
CC-513	STORAGE TANK	106.472/09/04/2000
CC-800	STORAGE TANK	106.472/09/04/2000
CR-1	STORAGE TANK	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
CR-2	STORAGE TANK	106.472/09/04/2000
D-100	STORAGE TANK	106.472/09/04/2000
D-101	STORAGE TANK	106.261/11/01/2003
D-102	STORAGE TANK	106.472/09/04/2000
D-103	STORAGE TANK	106.472/09/04/2000
D-104	STORAGE TANK	106.472/09/04/2000
D-10	STORAGE TANK	669
D-110	STORAGE TANK	131877, 106.472/09/04/2000
D-111	STORAGE TANK	106.472/09/04/2000
D-112	STORAGE TANK	106.472/09/04/2000
D-113	STORAGE TANK	106.472/09/04/2000
D-114	STORAGE TANK	106.472/09/04/2000
D-115	STORAGE TANK	106.472/09/04/2000
D-116	STORAGE TANK	106.472/09/04/2000
D-117	STORAGE TANK	106.472/09/04/2000
D-118	STORAGE TANK	106.472/09/04/2000
D-119	STORAGE TANK	106.472/09/04/2000
D-11	STORAGE TANK	106.472/09/04/2000
D-120	STORAGE TANK	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
D-121	STORAGE TANK	106.472/09/04/2000
D-122	STORAGE TANK	106.472/09/04/2000
D-123	STORAGE TANK	106.472/09/04/2000
D-124	STORAGE TANK	106.261/11/01/2003
D-125	STORAGE TANK	106.472/09/04/2000
D-126	STORAGE TANK	106.472/09/04/2000
D-127	STORAGE TANK	106.472/09/04/2000
D-128	STORAGE TANK	106.472/09/04/2000
D-129	STORAGE TANK	106.472/09/04/2000
D-12	STORAGE TANK	106.472/09/04/2000
D-130	STORAGE TANK	106.472/09/04/2000
D-131	STORAGE TANK	106.472/09/04/2000
D-132	STORAGE TANK	106.472/09/04/2000
D-133	STORAGE TANK	106.472/09/04/2000
D-137	BLEND VESSEL	106.472/09/04/2000
D-13	STORAGE TANK	106.472/09/04/2000
D-14	STORAGE TANK	106.472/09/04/2000
D-15	STORAGE TANK	106.472/09/04/2000
D-16	STORAGE TANK	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
D-17	STORAGE TANK	106.472/09/04/2000
D-18	STORAGE TANK	106.472/09/04/2000
D-19	STORAGE TANK	106.472/09/04/2000
D-1	STORAGE TANK	106.472/09/04/2000
D-20	STORAGE TANK	106.472/09/04/2000
D-21	STORAGE TANK	106.472/09/04/2000
D-22	STORAGE TANK	669
D-23	STORAGE TANK	106.472/09/04/2000
D-24	STORAGE TANK	106.472/09/04/2000
D-25	STORAGE TANK	106.472/09/04/2000
D-26	STORAGE TANK	106.472/09/04/2000
D-27	STORAGE TANK	106.472/09/04/2000
D-29	STORAGE TANK	106.472/09/04/2000
D-2	STORAGE TANK	106.472/09/04/2000
D-30	STORAGE TANK	106.472/09/04/2000
D-31	STORAGE TANK	669
D-32	STORAGE TANK	106.472/09/04/2000
D-33	STORAGE TANK	106.472/09/04/2000
D-3	STORAGE TANK	669

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
D-4	STORAGE TANK	106.472/09/04/2000
D-5	STORAGE TANK	106.472/09/04/2000
D-60	STORAGE TANK	106.472/09/04/2000
D-61	STORAGE TANK	106.472/09/04/2000
D-62	STORAGE TANK	122494, 106.472/09/04/2000
D-63	STORAGE TANK	106.472/09/04/2000
D-64	STORAGE TANK	106.472/09/04/2000
D-65	STORAGE TANK	106.472/09/04/2000
D-67	BLEND VESSEL	669
D-68	BLEND VESSEL	669
D-69	BLEND VESSEL	669
D-6	STORAGE TANK	669
D-70	BLEND VESSEL	669
D-71	STORAGE TANK	106.472/09/04/2000
D-72	STORAGE TANK	106.472/09/04/2000
D-73	STORAGE TANK	106.472/09/04/2000
D-74	STORAGE TANK	106.472/09/04/2000
D-75	STORAGE TANK	106.472/09/04/2000
D-76	STORAGE TANK	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
D-78	STORAGE TANK	122494, 106.472/09/04/2000
D-79	STORAGE TANK	106.472/09/04/2000
D-7	STORAGE TANK	106.472/09/04/2000
D-80	STORAGE TANK	106.472/09/04/2000
D-81	STORAGE TANK	106.472/09/04/2000
D-82	STORAGE TANK	122494, 106.472/09/04/2000
D-83	STORAGE TANK	106.472/09/04/2000
D-84	STORAGE TANK	106.472/09/04/2000
D-85	STORAGE TANK	106.472/09/04/2000
D-86	STORAGE TANK	106.472/09/04/2000
D-87	STORAGE TANK	106.472/09/04/2000
D-88	STORAGE TANK	106.472/09/04/2000
D-89	STORAGE TANK	106.472/09/04/2000
D-8	STORAGE TANK	106.472/09/04/2000
D-90	STORAGE TANK	669
D-91	STORAGE TANK	669
D-92	STORAGE TANK	106.472/09/04/2000
D-93	STORAGE TANK	106.472/09/04/2000
D-94	STORAGE TANK	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
D-95	STORAGE TANK	106.472/09/04/2000
D-96	STORAGE TANK	106.472/09/04/2000
D-97	STORAGE TANK	106.472/09/04/2000
D-98	STORAGE TANK	106.472/09/04/2000
D-99	STORAGE TANK	106.472/09/04/2000
D-9	STORAGE TANK	106.472/09/04/2000
FO-44	STORAGE TANK	106.472/09/04/2000
HPO-85	STORAGE TANK	106.472/09/04/2000
I-10	STORAGE TANK	106.472/09/04/2000
I-11	STORAGE TANK	106.472/09/04/2000
I-12	STORAGE TANK	106.472/09/04/2000
I-13	STORAGE TANK	106.472/09/04/2000
I-14	STORAGE TANK	106.472/09/04/2000
I-15	STORAGE TANK	106.472/09/04/2000
I-16	STORAGE TANK	106.472/09/04/2000
I-17	STORAGE TANK	106.472/09/04/2000
I-18	STORAGE TANK	106.472/09/04/2000
I-19	STORAGE TANK	106.472/09/04/2000
I-1	STORAGE TANK	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
I-21	STORAGE TANK	106.472/09/04/2000
I-22	STORAGE TANK	106.472/09/04/2000
I-23	STORAGE TANK	106.472/09/04/2000
I-24	STORAGE TANK	106.472/09/04/2000
I-25	STORAGE TANK	106.472/09/04/2000
I-26	STORAGE TANK	106.472/09/04/2000
I-27	STORAGE TANK	106.472/09/04/2000
I-28	STORAGE TANK	106.472/09/04/2000
I-2	STORAGE TANK	106.472/09/04/2000
I-3	STORAGE TANK	106.472/09/04/2000
I-4	BLEND VESSEL	669
I-5	STORAGE TANK	106.472/09/04/2000
I-6	STORAGE TANK	106.472/09/04/2000
I-7	STORAGE TANK	106.472/09/04/2000
I-8	STORAGE TANK	106.472/09/04/2000
I-9	STORAGE TANK	106.472/09/04/2000
KO-AA800	STORAGE TANK	106.472/09/04/2000
KOD-70	STORAGE TANK	106.472/09/04/2000
LOADA11	UNLOADING RACK	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
LOADA12	UNLOADING RACK	106.472/09/04/2000
LOADA13	UNLOADING RACK	106.472/09/04/2000
LOADA14	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADA15	LOADING RACK	106.472/09/04/2000
LOADA16	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADA17	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADA18	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADA19	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADA20	LOADING RACK	106.472/09/04/2000
LOADA21	LOADING RACK	106.472/09/04/2000
LOADA23	LOADING RACK	106.472/09/04/2000
LOADA24	LOADING RACK	106.472/09/04/2000
LOADA26	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADA27	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADA33	LOADING RACK	106.472/09/04/2000
LOADA36	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADA38	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADB11	UNLOADING RACK	106.472/09/04/2000
LOADB12	UNLOADING RACK	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
LOADB13	UNLOADING RACK	106.472/09/04/2000
LOADB14	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADB15	LOADING RACK	106.472/09/04/2000
LOADB16	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADB17	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADB18	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADB19	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADB20	LOADING RACK	106.472/09/04/2000
LOADB21	LOADING RACK	106.472/09/04/2000
LOADB23	LOADING RACK	106.472/09/04/2000
LOADB24	LOADING RACK	106.472/09/04/2000
LOADB26	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADB27	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADB33	LOADING RACK	106.472/09/04/2000
LOADB36	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADB38	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADE10	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADE11	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADE12	LOADING/UNLOADING RACK	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
LOADE13	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADE15	UNLOADING RACK	106.472/09/04/2000
LOADE16	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADE17	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADE18	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADE19	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADE1	UNLOADING RACK	106.472/09/04/2000
LOADE20	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADE21	UNLOADING RACK	106.472/09/04/2000
LOADE23	UNLOADING RACK	106.472/09/04/2000
LOADE28	UNLOADING RACK	106.472/09/04/2000
LOADE2	UNLOADING RACK	106.472/09/04/2000
LOADE3	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADE4	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADE5	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADE6	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADE7	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADE8	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADE9	LOADING/UNLOADING RACK	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
LOADTT-01	LOADING RACK (ANG TR)	106.472/09/04/2000
LOADTT-02	LOADING RACK (116 ROAD TR)	106.472/09/04/2000
LOADTT-03	LOADING RACK (NTR N SPOT)	106.472/09/04/2000
LOADTT-04	LOADING RACK (NTR S SPOT)	106.472/09/04/2000
LOADTT-05	LOADING RACK (STR SPOT 1)	106.472/09/04/2000
LOADTT-06	LOADING RACK (STR SPOT 2)	106.472/09/04/2000
LOADTT-07	LOADING RACK (STR SPOT 3)	106.472/09/04/2000
LOADTT-08	LOADING RACK (STR SPOT 4)	106.472/09/04/2000
LOADTT-09	LOADING RACK (POLY TR)	106.472/09/04/2000
LOADTT-10	UNLOADING RACK (3RD @ C ST)	106.472/09/04/2000
LOADTT-12	LOADING/UNLOADING RACK (LITTLE D TR)	106.472/09/04/2000
LOADTTACID	LOADING RACK (ACID TR)	106.472/09/04/2000
LOADTTBOVR	LOADING/UNLOADING RACK (B OVER TR)	106.472/09/04/2000
LOADTTSTHD	LOADING RACK (SHORT D TR)	106.472/09/04/2000
LOADTTWOVR	LOADING RACK (WEST OVER TR)	106.472/09/04/2000
LOADW10	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADW11	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADW12	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADW13	LOADING/UNLOADING RACK	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
LOADW15	UNLOADING RACK	106.472/09/04/2000
LOADW16	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADW17	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADW18	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADW19	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADW1	UNLOADING RACK	106.472/09/04/2000
LOADW20	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADW21	UNLOADING RACK	106.472/09/04/2000
LOADW28	UNLOADING RACK	106.472/09/04/2000
LOADW2	UNLOADING RACK	106.472/09/04/2000
LOADW3	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADW4	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADW5	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADW6	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADW7	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADW8	LOADING/UNLOADING RACK	106.472/09/04/2000
LOADW9	LOADING/UNLOADING RACK	106.472/09/04/2000
M-48	STORAGE TANK	106.472/09/04/2000
NBLNDDRUM	DRUM LOADING FACILITY	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
OS-10	STORAGE TANK	106.472/09/04/2000
OS-11	STORAGE TANK	106.472/09/04/2000
OS-20	STORAGE TANK	106.472/09/04/2000
P-36A	STORAGE TANK	669
PRO-1	PRESSURE VESSEL	669, 106.263/11/01/2001
R-5	STORAGE TANK	106.472/09/04/2000
RA-4	STORAGE TANK	106.472/09/04/2000
RA-5	STORAGE TANK	106.472/09/04/2000
RA-6	STORAGE TANK	106.472/09/04/2000
RA-8	STORAGE TANK	106.472/09/04/2000
RA-9	STORAGE TANK	106.472/09/04/2000
SA-1	STORAGE TANK	669
SA-2	STORAGE TANK	669
SA-3	STORAGE TANK	669
SA-4	STORAGE TANK	106.472/09/04/2000
SA-5	STORAGE TANK	106.472/09/04/2000
SA-6	STORAGE TANK	106.472/09/04/2000
SA-7	STORAGE TANK	106.472/09/04/2000
SAB-1	STORAGE TANK	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
SAB-2	STORAGE TANK	106.472/09/04/2000
SBD-PV1	BLEND VESSEL BL-14, BL-15, BL-16	669
SBD-PV2	BLEND VESSEL BL-19, BL-20	669
SBD-PV3	BLEND VESSEL BL-21, BL-22	669
SBLNDDRUM	DRUM LOADING FACILITY	106.472/09/04/2000
SS-10	STORAGE TANK	106.472/09/04/2000
SS-11	STORAGE TANK	106.472/09/04/2000
SS-12	STORAGE TANK	106.472/09/04/2000
SS-13	STORAGE TANK	106.472/09/04/2000
SS-16	STORAGE TANK	106.472/09/04/2000
SS-1	BLEND VESSEL	669
SS-20	STORAGE TANK	106.472/09/04/2000
SS-22	STORAGE TANK	106.472/09/04/2000
SS-23	STORAGE TANK	106.472/09/04/2000
SS-24	STORAGE TANK	106.472/09/04/2000
SS-25	STORAGE TANK	106.472/09/04/2000
SS-29	STORAGE TANK	106.472/09/04/2000
SS-2	BLEND VESSEL	669
SS-35	STORAGE TANK	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
SS-36	STORAGE TANK	106.472/09/04/2000
SS-3	STORAGE TANK	106.472/09/04/2000
SS-4	STORAGE TANK	106.472/09/04/2000
SS-5	STORAGE TANK	106.472/09/04/2000
SS-6	STORAGE TANK	106.472/09/04/2000
SS-7	STORAGE TANK	106.472/09/04/2000
SS-8	STORAGE TANK	106.472/09/04/2000
SS-9	STORAGE TANK	106.472/09/04/2000
SSB-1	STORAGE TANK	106.472/09/04/2000
WO-AA800	STORAGE TANK	106.472/09/04/2000
WO-CC800	STORAGE TANK	106.472/09/04/2000

Appendix A

Acronym List	170
--------------------	-----

Acronym List

The following abbreviations or acronyms may be used in this permit:

ACFM	actual cubic feet per minute
AMOC	alternate means of control
ARP	Acid Rain Program
ASTM	American Society of Testing and Materials
B/PA	Beaumont/Port Arthur (nonattainment area)
CAM	Compliance Assurance Monitoring
CD	control device
COMS	continuous opacity monitoring system
CVS	closed-vent system
D/FW	Dallas/Fort Worth (nonattainment area)
DR	Designated Representative
ELP	El Paso (nonattainment area)
EP	emission point
EPA	U.S. Environmental Protection Agency
EU	emission unit
FCAA Amendments	Federal Clean Air Act Amendments
FOP	federal operating permit
GF	grandfathered
gr/100 scf	grains per 100 standard cubic feet
HAP	hazardous air pollutant
H/G/B	Houston/Galveston/Brazoria (nonattainment area)
H ₂ S	hydrogen sulfide
ID No.	identification number
lb/hr	pound(s) per hour
MMBtu/hr	Million British thermal units per hour
MRRT	monitoring, recordkeeping, reporting, and testing
NA	nonattainment
N/A	not applicable
NADB	National Allowance Data Base
NO _x	nitrogen oxides
NSPS	New Source Performance Standard (40 CFR Part 60)
NSR	New Source Review
ORIS	Office of Regulatory Information Systems
Pb	lead
PBR	Permit By Rule
PM	particulate matter
ppmv	parts per million by volume
PSD	prevention of significant deterioration
RO	Responsible Official
SO ₂	sulfur dioxide
TCEQ	Texas Commission on Environmental Quality
TSP	total suspended particulate
TVP	true vapor pressure
U.S.C.	United States Code
VOC	volatile organic compound